

MSDS- CYPRESS

Compilation Date: 10/03/16 Revision date: 24/10/17

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

Product name: Cypress Oil

CAS: 84696-07-1 EINECS: 283-626-9

INCI NAME: Cupressus sempervirens Leaf Oil

1.2. Details of the supplier of the MSDS

Company name: Amour Natural

Unit 6 Adlam's Central Park, Wirral Park Road, Glastonbury BA6 9XE

Tel: 01458 898030

Email: info@amournatural.co.uk

1.3 Emergency telephone number

01458 898030

Section 2: Hazards Identification

2.1 Classification under CLP: Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1A: H317

Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Flammable liquid and vapour. May be fatal if swallowed and enters airways.

2.2. Label elements

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

Hazard pictograms:

GHS08: Health hazard

GHS02: Flame

GHS07: Exclamation mark GHS09: Environmental



Signal words: Danger

Precautionary statements:

P261: Avoid breathing vapour or dust.

P264: Wash hands thoroughly after handling. P273: Avoid release to the environment.

P280: Wear gloves/eye protection/face protection. P302+352: IF ON SKIN: Wash with plenty of water P321: Specific treatment (see instructions on this label). This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

HAZARDOUS INGREDIENTS:

ALPHA-PINENE EINECS: 201-291-9 CAS: 80-56-8

CLP CLASSIFICATION: Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Asp. Tox. 1:

H304

PERCENT: 30-50%

3-CARENE

EINECS: 236-719-3 CAS: 13466-78-9

CLP CLASSIFICATION: Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1A: H317

PERCENT: 30-50%

(+-)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE

EINECS: 231-732-0 CAS: 7705-14-8

CLP CLASSIFICATION: Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic

Chronic 1: H410; Aquatic Acute 1: H400

PERCENT: 1-10%

Non- classified ingredients:

TERPINYL ACETATE EINECS: 232-357-5 CAS: 8007-35-5 PERCENT: 1-10% **CEDROL**

EINECS: 201-035-6

CAS: 77-53-2 PERCENT: 1-10%

Section 4: First Aid Measures

Skin contact: Remove contaminated clothes and footwear unless stuck to skin. Wash immediately with soap & water. If irritation persists, seek medical advice.

Eye Contact: Bathe the eye in running water for 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, seek medical advice.

Ingestion: Rinse mouth out with water. Provide fresh air. Consult a doctor.

Inhalation: Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move to fresh air in case of accidental inhalation. Get medical attention if discomfort continues.

Most important symptoms and effects, both acute and delayed:

Can cause irritation and redness when in contact with eyes. Vapours can irritate throat and respiratory system causing coughing.

Section 5: Fire Fighting Measures

- 5.1 Extinguishing media: Use CO₂, Dry Powder or Foam
- 5.2 Exposure hazards: in combustion emits toxic fumes.
- 5.3 Advice for fire fighters: wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental Release Measures

Personal precautions: Use personal protective equipment Environment precautions: Keep away from drains or rivers

Cleaning up methods: Contain spilled material. Cover for spillages: with an inert or non-

combustible inorganic absorbent material. Flush area with water.

Section 7: Handling and Storage

7.1 Precautions in handling: Ensure proper ventilation of area.

7.2 Storage conditions: Store in tightly closed container, in a cool, dry & ventilated area away from sources of ignition. Protect from freezing and keep away from direct sunlight.

Section 8: Exposure Controls/ Personal Protection

Ventilation: Ensure good ventilation of working area.

Respiratory protection: No specific recommendation made, but respiratory protection may be still required under exceptional circumstances when excessive air contamination exists.

Hand protection: Protective gloves

Eye protection: Face shield and safety glasses Skin protection: Protective clothing. Apron.

Section 9: Physical and Chemical Properties

State: Liquid

Colour: Pale yellow Odour: Fresh pine

Flash point°C: 40

Relative density: 0.890

Section 10: Stability and Reactivity

Chemically stable under normal conditions.

Will not polymerise.

Avoid heat, flames and sources of ignition.

Avoid oxidising agents, strong acids and strong alkalis.

In combustion emits toxic fumes of carbon monoxide/ carbon dioxide and nitrogen oxides.

Section 11: Toxicological Information

Skin corrosion/irritation- DRM- Hazardous: Calculated Respiratory/ skin sensitisation - Hazardous: Calculated

Aspiration Hazard- Hazardous: Calculated

Section 12: Ecological Information

12.1 Ecotoxicity Values: no data available

12.2 Persistence and degradability: No data available

12.3 Bio-accumulative potential: No data available

12.4 Mobility in Soil: no data available

12.5 This product is not identified as a PBT/vPvB substance

12.6 Other Adverse effects: No data available

Section 13: Disposal Considerations

Dispose of in accordance with local regulations.

Section 14: Transport Information

UN number: UN1169

Shipping name: EXTRACTS, AROMATIC, LIQUID

Transport class: 3 Packing group: III

Environmentally hazardous, not a marine pollutant.

Tunnel code: D/E Transport category: 3

Section 15: Regulatory Information

No specific regulations

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other Information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long-lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.